

BioVendor - Laboratorní medicína a.s.

Karásek 1767/1, 621 00 Brno, Czech Republic +420 549 124 185 info@biovendor.com sales@biovendor.com www.biovendor.com

PRODUCT DATA SHEET

Connective Tissue Growth Factor Human E. coli

Cat. No.: RD172035100 **Size:** 0.1 mg

Source: E. coli Type: Recombinant protein

Species: Human

Other Names:

Hypertrophic chondrocyte-specific protein 24, Insulin-like growth factor-binding protein 8, IGF-binding protein 8, IGFBP-8, IBP-8, CCN family member 2, CTGF, CCN2, HCS24

Description:

Total 346 AA. MW: 38.3 kDa (calculated). UniProtKB acc.no. P29279. N-Terminal His-tag and Xa – cleavage site, 23 extra AA.

Amino Acid Sequence:

МСННННННН	HHSSGHIEGR	HMRQNCSGPC	RCPDEPAPRC	PAGVSLVLDG	CGCCRVCAKQ
LGELCTERDP	CDPHKGLFCD	FGSPANRKIG	VCTAKDGAPC	IFGGTVYRSG	ESFQSSCKYQ
CTCLDGAVGC	MPLCSMDVRL	PSPDCPFPRR	VKLPGKCCEE	WVCDEPKDQT	VVGPALAAYR
LEDTFGPDPT	MIRANCLVQT	TEWSACSKTC	GMGISTRVTN	DNASCRLEKQ	SRLCMVRPCE
ADLEENIKKG	KKCIRTPKIS	KPIKFELSGC	TSMKTYRAKF	CGVCTDGRCC	TPHRTTTLPV
EFKCPDGEVM	KKNMMFIKTC	ACHYNCPGDN	DIFESLYYRK	MYGDMA	

Purity:

> 90 % by SDS-PAGE

Endotoxin:

< 1.0 EU/µg

Formulation:

Filtered (0.4 μ m) and lyophilized in 0.5 mg/mL in 0.05 M Acetate buffer pH=4.0; 4% mannitol, 1% sucrose

Reconstitution:

Add 0.1M Acetate buffer pH=4.0 to prepare a working stock solution of 0.5 mg/mL and let the lyophilized pellet dissolve completely at 37°C. For conversion into higher pH value, we recommend intensive dilution by relevant buffer to a concentration of 10µg/mL. In higher concentrations the solubility of this antigen is limited.

Shipping:

On ice. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

Store the lyophilized protein at -80 °C. Lyophilized protein remains stable until the expiry date when stored at -80 °C. Aliquot reconstituted protein to avoid repeated freezing/thawing cycles and store at -80 °C for long term storage. Reconstituted protein can be stored at 4 °C for a week.

Date of Issue: 02.05.2024 Page:1 / 2

Quality Control:

BCA to determine quantity of the protein. SDS PAGE to determine purity of the protein. Endotoxin level determination.

Applications: Cell culture and/or animal studies, Western blotting

This product is intended for research use only.

Page:2 / 2 Date of Issue: 02.05.2024