Interleukin-7 Murine E. coli

Product Data Sheet

Type: Recombinant
Source: E. coli
Species: Murine
Other names: IL-7, Lymphopoietin-1, pre-B-cell growth factor

Cat. No.:

RBG20007002	(2 µg)
RBG20007010	(10 µg)
RBG20007100	(100 µg)

Description

IL-7 is a hematopoietic growth factor that primarily affects early B and T cells. Produced by thymic stromal cells, spleen cells and keratinocytes, IL-7 can also co-stimulate the proliferation of mature T cells in combination with other factors, such as ConA and IL-2. Human and murine IL-7 is cross-species reactive. Recombinant Murine IL-7 is a 15.0 kDa protein containing 130 amino acid residues.

Introduction to the Molecule

Interleukin-7 (IL-7) is a pleiotropic cytokine with a variety of activities. IL-7 supports differentiation of cytotoxic T-lymphocytes and promotes the generation of lymphokine-activated killer-cells. IL-7 is further responsible for the upregulation of the production of pro-inflammatory cytokines and the stimulation of the tumoricidal activity of monocytes/macrophages.

Research topic

Cytokines and chemokines and related molecules, Oncology

Amino Acid Sequence

```
MECHIKDKEG KAYESVLMIS IDELDKMTGT DSNCPNNEPN FFRKHVCDDT KEAAFLNRAA RKLKQFLKMN ISEEFNVHLL
TVSQGTQTLV NCTSKEEKNV KEQKKNDACF LKRLLREIKT CWNKILKGSI
```

Source

E. coli

Purity

98%

Biological Activity

The ED_{50} as determined by the dose-dependent stimulation of the proliferation of murine 2E8 cells is ? 0.2 ng/ml, corresponding to a specific activity of ? 5×10^6 units/mg.

Endotoxin

Endotoxin level is <0.1 ng/µg of protein (<1EU/µg).

Reconstitution

Centrifuge the vial prior to opening. Reconstitute in water to a concentration of 0.1-1.0 mg/ml. Do not vortex. This solution can be stored at 2-8°C for up to 1 week. For extended storage, it is recommended to further dilute in a buffer containing a carrier protein (example 0.1% BSA) and store in working aliquots at -20°C to -80°C.

Storage, Stability/Shelf Life

-20°C

HEADQUARTERS: BioVendor Laboratorní medicína, a.s.	Karasek 1767/1	621 00 Brno CZECH REPUBLIC	Phone: +420-549-124-185 Fax: +420-549-211-460	E-mail: Web:	info@biovendor.com sales@biovendor.com www.biovendor.com
AUSTRIA: BioVendor GesmbH	Nußdorfer Straße 20/10	1090 Vienna AUSTRIA	Phone: +43-1-89090-25 Fax: +43-1-89090-2515	E-mail:	infoAustria@biovendor.com
GERMANY, SWITZERLAND: BioVendor GmbH	Otto-Hahn-Straße 16	34123 Kassel GERMANY	Phone: +49-6221-433-9100 Fax: +49-6221-433-9111	E-mail:	infoEU@biovendor.com
USA, CANADA AND MEXICO: BioVendor LLC	128 Bingham Rd. Suite 1300	Asheville, NC 28806 USA	Phone: +1-828-575-9250 +1-800-404-7807 Fax: +1-828-575-9251	E-mail:	infoUSA@biovendor.com