


- Quantitative measurement of all types and all forms of collagen
- Rapid and easy
- Species independent
- Colorimetric read-out at 570 nm
- Broad dynamic range
- Based on analysis of hydroxyproline
- Independent of extraction method
- No special equipment required
- Optimized for tissues with low collagen content such as liver
- No matrix effects as seen in other assays


Assay principle



Assay specifications

Dynamic range: 6 - 300 µg/ml
Sensitivity: 2.5 µg/ml
Sample volume: 50 - 500 µl
Format: 96 - well plate
Intended use: optimized for tissues and tissue extracts with low collagen levels

Negligible matrix effect



Many assays need (>5 fold) dilution due to matrix effects. This new assay has matrix effect eliminated, making it possible to use non-diluted samples

What's in the box?

Included are standards, buffers, microtiter plate, hydrolysis tubes, collagen standard, detection reagent, enhancer solution, plate seals. HCl is not included.

Related assays

- Total Collagen assay
- Hydroxyproline assay
- Sensitive Tissue Hydroxyproline assay
- Soluble Collagen assay
- Human and mouse MMP-9 activity assays
- Human MMP-2 activity assay
- Human MMP-7 activity assay
- Human MMP-8 activity assay
- Human MMP-14 activity assay

Distributor information

BioVendor, LLC
 128 Bingham Road, Suite 1300
 Asheville, NC 28806, United States
 Tel: 828-575-9250 / Toll-free: 1800-404-7807
www.BioVendor.com
 E-mail: infoUSA@BioVendor.com