Human MMP-7 Activity Assay



- Quantitative measurement of both active and total human MMP-7
- 96-well plate format
- Colorimetric read-out at 405 nm
- Ability to detect high and low ranges in a single measurement
- Easy and sensitive

Assay specifications

Dynamic range: 0.004 – 16 ng/ml

Sensitivity: 0.03 ng/ml (3 hr incubation)

0.009 ng/ml (6 hr incubation)

0.004 ng/ml (25 h incubation)

Sample volume: 10 - 100 µl


Format: 96 - well plate

Intended use: - tissue homogenate


- conditioned culture medium

- serum - urine

Quantitative measurement



Assay principle



Active MMP-7: direct measurement 1 Pro-MMP-7: measurement after activation with APMA 2

What's in the box?

All standards, buffers and plates are included: Pre-coated 96-well microtiter plate, assay buffer, APMA, pro-detection enzyme, peptide substrate, wash buffer, human MMP-7 standard.

Related assays

- Human and mouse MMP-2 activity assay
- Human and mouse MMP-9 activity assay
- Human MMP-8 activity assay
- Mouse MMP-7 activity assay
- Total collagen assay
- Hydroxyproline assay
- Total protein assay

Distributor information

BioVendor, LLC

128 Bingham Road, Suite 1300

Asheville, NC 28806, United States

Tel: 828-575-9250 / Toll-free: 1800-404-7807

www.BioVendor.com

E-mail: infoUSA@BioVendor.com

