

BioVendor - Laboratorní medicína a.s.

Karásek 1767/1, 621 00 Brno, Czech Republic

+420 549 124 185 info@biovendor.com sales@biovendor.com www.biovendor.com

PRODUCT DATA SHEET

Angiopoietin-Like Protein 3 Human, Sheep Polyclonal Antibody

Cat. No.: RD184092100 Source of Antigen: E. coli Host: Sheep **Size:** 0.1 mg **Type:** Polyclonal Antibody

Other Names:

Angiopoietin-related protein 3, Angiopoietin-5, ANG-5, ANGPT5, UNQ153/PRO179, ANGPTL-3

Preparation:

The antibody was raised in sheep by immunization with the recombinant Human ANGPTL3.

Amino Acid Sequence of Immunogen:

The immunization antigen (26 kDa) is a protein containing 223 AA of recombinant Human ANGPTL3. N-Terminal His-tag, 16 extra AA (highlighted).

MRGSHHHHHH GMASHMSRID QDNSSFDSLS PEPKSRFAML DDVKILANGL LQLGHGLKDF VHKTKGQIND IFQKLNIFDQ SFYDLSLQTS EIKEEEKELR RTTYKLQVKN EEVKNMSLEL NSKLESLLEE KILLQQKVKY LEEQLTNLIQ NQPETPEHPE VTSLKTFVEK QDNSIKDLLQ TVEDQYKQLN QQHSQIKEIE NQLRRTSIQE PTEISLSSKP RAP

The amino acid sequence of the recombinant Human ANGPTL3 is 100% homologous to the amino acid sequence of the Human ANGPTL3 (AA 17–223) without signal sequence

Purification Method:

Immunoaffinity chromatography on a column with immobilized recombinant Human ANGPTL3.

Species Reactivity:

Human. Not yet tested in other species.

Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. **AZIDE FREE**.

Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at -20° C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80° C. Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C.

Quality Control:

Indirect ELISA – to determine titer of the antibody SDS PAGE – to determine purity of the antibody BCA - to determine quantity of the antibody

Applications:

ELISA, Western blotting

Note:

This product is for research use only.