

BioVendor - Laboratorní medicína a.s.

Karásek 1767/1, 621 00 Brno, Czech Republic

+420 549 124 185 info@biovendor.com sales@biovendor.com www.biovendor.com

Size: 0.1 mg

Type: Polyclonal Antibody

PRODUCT DATA SHEET

Liver Fatty Acid Binding Protein Human, Sheep Polyclonal Antibody

Cat. No.: RD184240100

Source of Antigen: E. coli

Host: Sheep

Isotype: IgG

Other Names:

L-FABP, Fatty acid-binding protein 1, FABP1, FABPL

Preparation:

The antibody was raised in sheep by immunization with the recombinant Human L-FABP.

Amino Acid Sequence of Immunogen:

Recombinant Human L-FABP, total 137 AA. MW: 15.45 kDa (calculated). UniProtKB acc.no. P07148. N-Terminal His-tag, 10 extra AA (highlighted).

MKHHHHHHAS MSFSGKYQLQ SQENFEAFMK AIGLPEELIQ KGKDIKGVSE IVQNGKHFKF TITAGSKVIQ NEFTVGEECE LETMTGEKVK TVVQLEGDNK LVTTFKNIKS VTELNGDIIT NTMTLGDIVF KRISKRI

Purification Method:

Immunoaffinity chromatography on a column with immobilized recombinant Human L-FABP, Tag-free (RD172240101).

Species Reactivity:

Human. Not yet tested in other species.

Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. **AZIDE FREE**.

Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at -20° C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80° C. Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C.

Quality Control:

Indirect ELISA – to determine titer of the antibody SDS PAGE – to determine purity of the antibody BCA - to determine quantity of the antibody

Applications:

Western blotting

Note:

This product is for research use only.