

BioVendor - Laboratorní medicína a.s.

Karásek 1767/1, 621 00 Brno, Czech Republic +420 549 124 185 info@biovendor.com sales@biovendor.com www.biovendor.com

PRODUCT DATA SHEET

sRANK (soluble RANK Receptor) Human, Rabbit Polyclonal Antibody

Cat. No.: RD181077100 **Size:** 0.1 mg

Source of Antigen: E. coli Type: Polyclonal Antibody

Host: Rabbit

Other Names:

Receptor Activator for Nuclear Factor κ B Ligand, osteoprotegerin ligand, TNF-related activation-induced cytokine, soluble Receptor Activator of NFkB Ligand, TNFSF11, TRANCE (TNF-related activation-induced cytokine), OPGL, ODF (Osteoclast differentiation factor)

Preparation:

The antibody was raised in rabbits by immunization with the recombinant Human RANK.

Amino Acid Sequence of Immunogen:

The immunization antigen (19.3 kDa) is a protein containing 175 amino acid residues, comprising of the full-length of the TNF receptor-like extracellular domain of RANK receptor.

Purification Method:

Immunoaffinity chromatography on a column with immobilized recombinant Human RANK.

Species Reactivity:

Human. Not yet tested in other species.

Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. **AZIDE FREE**.

Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at -20°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80°C. Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C.

Date of Issue: 19.05.2023 Page:1 / 2

Quality Control:

Indirect ELISA – to determine titer of the antibody SDS PAGE – to determine purity of the antibody BCA - to determine quantity of the antibody

Applications:

Western blotting

Note:

This product is for research use only.

Date of Issue: 19.05.2023 Page: 2 / 2