

## PRODUCT DATA SHEET

### Secretagogin Human, Sheep Polyclonal Antibody

**Cat. No.:** RD184120100

**Size:** 0.1 mg

**Source of Antigen:** E. coli

**Type:** Polyclonal Antibody

**Host:** Sheep

**Other Names:**

SCGN, SECRET

**Preparation:**

The antibody was raised in sheep by immunization with the recombinant Human Secretagogin.

**Amino Acid Sequence of Immunogen:**

Recombinant Human Secretagogin, total 286 AA. MW: 33.3 kDa (calculated), N-terminal His-tag, 10 extra AA (highlighted), The AA sequence is identical to UniProtKB/Swiss-Prot entry O76038.

MKHHHHHHAS MDSSREPTLG RLDAAGFWQV WRRFDADEKG YIEEKELDAF  
FLHMLMKLGT DDTVMKANLH KVKQQFMTTQ DASKDGRIRM KELAGMFLSE  
DENFLLLFRR ENPLDSSVEF MQIWRKYDAD SSGFISAAEL RNFLRDLFLH HKKAISEAKL  
EEYTGTMMKI FDRNKDGRLD LNDLARILAL QENFLLQFKM DACSTEERKR DFEKIFAYYD  
VSKTGALEGP EVDGFVKDMM ELVQPSISGV DLDKFREILL RHCDVKNKDGK  
IQKSELALCL GLKINP

**Purification Method:**

Immunoaffinity chromatography on a column with immobilized recombinant Human Secretagogin.

**Species Reactivity:**

Human. Not yet tested in other species.

**Antibody Content:**

0.1 mg (determined by BCA method, BSA was used as a standard)

**Formulation:**

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. **\*\*AZIDE FREE\*\***.

**Reconstitution:**

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

**Shipping:**

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

**Storage/Stability:**

The lyophilized antibody remains stable and fully active until the expiry date when stored at  $-20^{\circ}\text{C}$ . Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at  $-80^{\circ}\text{C}$ . Reconstituted antibody can be stored at  $4^{\circ}\text{C}$  for a limited period of time; it does not show decline in activity after one week at  $4^{\circ}\text{C}$ .

**Quality Control:**

Indirect ELISA – to determine titer of the antibody

SDS PAGE – to determine purity of the antibody

BCA - to determine quantity of the antibody

**Applications:**

ELISA, Immunohistochemistry, Western blotting

**Note:**

This product is for research use only.