BioVendor - Laboratorní medicína s.r.o.
Karásek 1767/1, 621 00 Brno, Czech Republic
+420 549 124 185
info@biovendor.com
sales@biovendor.com
www.biovendor.com

PRODUCT DATA SHEET

Secretagogin Human, Sheep Polyclonal Antibody

Cat. No.: RD184120100
Source of Antigen: E. coli
Host: Sheep

Size: 0.1 mg
Type: Polyclonal Antibody

Other Names:
SCGN, SECRET

Preparation:
The antibody was raised in sheep by immunization with the recombinant Human Secretagogin.

Amino Acid Sequence of Immunogen:

Recombinant Human Secretagogin, total 286 AA. MW: 33.3 kDa (calculated), N-terminal His-tag, 10 extra AA, The AA sequence is identical to UniProtKB/Swiss-Prot entry O76038.

MKHHHHHHAS MDSSREPTLG RLDAAGFWQV WRRFDADEKG YIEEKELDAF FLHMLMKLGT
DDTVMKANLH KVKQQFMTTQ DASKDGRIRM KELAGMFLSE DENFLLLFRR ENPLDSSVEF
MQIWRKYDAD SSGFISAAEL RNFLRDLFLH HKKAISEAKL EEYTGTMMKI FDRNKDGRLD
LNDLARILAL QENFLLQFKM DACSTEERKR DFEKIFAYYD VSKTGALEGP EVDGFVKDMM
ELVQPSISGV DLDKFREILL RHCDVNKDGK IQKSELALCL GLKINP

Purification Method:
Immunoaffinity chromatography on a column with immobilized recombinant Human Secretagogin.

Species Reactivity:
Human. Not yet tested in other species.

Antibody Content:
0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:
The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2.

Reconstitution:
Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:
At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:
The lyophilized antibody remains stable and fully active until the expiry date when stored at -20°C.Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80°C. Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C.

Quality Control:
Indirect ELISA – to determine titer of the antibody
SDS PAGE – to determine purity of the antibody
BCA - to determine quantity of the antibody

Applications:
ELISA, Immunohistochemistry, Western blotting

Note:
This product is for research use only.