

BioVendor - Laboratorní medicína a.s.

Karásek 1767/1, 621 00 Brno, Czech Republic

+420 549 124 185 info@biovendor.com sales@biovendor.com www.biovendor.com

# **PRODUCT DATA SHEET**

## S100A12 Human, Sheep Polyclonal Antibody

Cat. No.: RD184221100 Source of Antigen: E. coli Host: Sheep Size: 0.1 mg Type: Polyclonal Antibody

## **Other Names:**

S100 calcium-binding protein A12, Calgranulin-C, CAGC, Neutrophil S100 protein, Calcium-binding protein in amniotic fluid 1, CAAF1, p6, Extracellular newly identified, RAGE-binding protein, EN-RAGE

#### Preparation:

The antibody was raised in sheep by immunization with the recombinant Human S100A12.

#### Amino Acid Sequence of Immunogen:

Total 101 AA. MW: 11.63 kDa (calculated). UniProtKB acc.no. P80511. N-Terminal His-tag, 10 extra AA (highlighted).

MKHHHHHHAS TKLEEHLEGI VNIFHQYSVR KGHFDTLSKG ELKQLLTKEL ANTIKNIKDK AVIDEIFQGL DANQDEQVDF QEFISLVAIA LKAAHYHTHK E

#### **Purification Method:**

Immunoaffinity chromatography on a column with immobilized recombinant Human S100A12.

#### **Species Reactivity:**

Human. Not yet tested in other species.

#### Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

#### Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. \*\*AZIDE FREE\*\*.

## **Reconstitution:**

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

#### Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

## Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at  $-20^{\circ}$ C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at  $-80^{\circ}$ C. Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C.

## **Quality Control:**

Indirect ELISA – to determine titer of the antibody SDS PAGE – to determine purity of the antibody BCA - to determine quantity of the antibody

## **Applications:**

ELISA, Immunohistochemistry, Western blotting

## Note:

This product is for research use only.